

Application

**Determination of Acid
number and free fatty acids
(FFA) in fats and oils**

Application

Use

The method is suitable for edible fats and oils such as butter, olive, palm or sunflower oil. The acid number is the quantity of base, expressed in milligrams of potassium hydroxide, that is required to neutralize all acidic constituents present in 1 g of sample. The calculation of the % FFA depends on the titrated type of sample.

Appliances

- Titrator: TL 7000/TL 7750 M1
- Basic device
- Magnetic stirrer TM 235
- 10 mL Exchange unit WA 10, with amber glass bottle for the titrant, complete

Electrodes

- Electrode: N 6480 eth
- Electrolyte: L 5034 (LiCl/ethanol)
- Calibration: n.a.

Application

Reagents

- Titrant: KOH 0.1 mol/l in IPA (2-propanol). Also KOH 0.1 mol/l in ethanol
- Titer determination: Potassium hydrogen phthalate
- Solvent: Ethanol/diethyl ether (1:1)

Description

Determination of the exact concentration of the KOH titrant

We recommend ready to use KOH titrants. The exact concentration of the KOH 0.1 mol/l can be determined using the titrimetric standard potassium hydrogen phthalate.

In a 150 mL beaker, 0.2 g of the standard are weighed accurately and dissolved in 80 mL of dist. water with stirring. It is titrated with the 0.1 mol/l KOH solution.

Repeat the standardization two times. The average value is stored automatically in the exchangeable unit.




Pic. left: titer

Application

Page 1: Curve and result: Titer determination

GLP documentation

Titration graph



Method data

Method name:	Titer KOH	Titration duration:	3 m 25 s
End date:	21.09.12	End time:	15:20:01

Titration data

Sample ID:	KHPthalat	Weight:	0.1040 g
Start mV:	165.1 mV	End mV:	-171.7 mV

EQ:	4.933 ml / -91.2 mV	Titer:	0.1032 mol/l
-----	---------------------	--------	--------------

Calculation formula

Titer: $(W \cdot F2) / ((EQ1 - B) \cdot M \cdot F1) \rightarrow M103$
 Mol (M): 204.22000

Weight (W):	man	Factor 2 (F2):	1000.0000
Blank value (B):	0.0000 ml	Factor 1 (F1):	1.0000
Statistics:	Off		

Application

Page 2: Method parameters Titer determination:

Method data overall view

Method name:	Titer KOH	Created at:	09/19/12 17:05:06
Method type:	Automatic titration	Last modification:	09/19/12 17:32:02
Measured value:	mV	Damping settings:	None
Titration mode:	Dynamic	Documentation:	GLP
Dynamic:	Steep		
Measuring speed / drift:	Normal:	minimum holding time:	02 s
		maximum holding time:	15 s
		Measuring time:	02 s
		Drift:	20 mV/min
Initial waiting time:	0 s		
Titration direction:	Decrease		
Pretitration:	Off		
End value:	Off		
EQ:	On (1)		
Slope value:	Steep	Value:	700

Dosing parameter

Dosing speed:	100 %	Filling speed:	30 s
Maximum dosing volume:	50.00 ml		

Unit values

Unit size:	10ml
Unit ID:	00072696
Reagent:	TBA Hydroxid
Batch ID:	1.0265
Concentration [mol/l]:	0.10320
Determined at:	09/20/12 0:57:27
Expire date:	04/12/12
Opened/compounded:	10/19/11
Test according ISO 8655:	12/01/10
Last modification:	09/21/12 15:13:56

Application

Titration of the sample

Weigh the sample in a 100 ml beaker and add at least 50 ml of the solvent mixture to the sample. If necessary heat the solution to dissolve the sample.

The sample weight should be calculated and selected that the titration amount is not more than 5 ml because of the long titration time.

For acid numbers between 0.2 and 1 the sample amount should be about 10 – 20 g.

For acid numbers between 1 and 10 the sample amount should be about 1 – 3 g.

Place the beaker on the magnetic stirrer and start the titration method. After the titration rinse the electrode and burette tip with solvent. For each set of samples perform a blank titration with 50 ml of the titration solvent.

Result calculation

The enclosed titration example shows the calculation of the result in mg KOH /g sample (acid number).

The calculation of the % FFA value depends on the titrated sample. For many oil and fat samples the molecular weight of the oleic acid (282 g/mol) is used.

$$\% \text{ FFA} = (\text{EQ1}-\text{B}) * 282 * \text{T} * 100 / (1000 * \text{W})$$

EQ1: ml consumption at the equivalence point

B: ml consumption for the blank titration

282: molecular weight of oleic acid in g/mol

T: concentration of the KOH titrant (e.g.0.1 mol/l)

100: per 100 g sample

1000: conversion


W: sample weight in g

Application

Blank titration page 1: Curve and result

GLP documentation

Titration graph



Method data

Method name:	Blank AN	Titration duration:	6 m 14 s
End date:	30.04.13	End time:	11:44:44

Titration data

Sample ID:	Solvent	End mV:	-79.3 mV
Start mV:	23.2 mV		
EQ:	0.099 ml / -46.3 mV	Blank:	0.099 ml

Calculation formula

Blank:	EQ1 -> M02		
Statistics:	Off	Statistics:	Off

Application

Blank titration page 2: method

Method data overall view

Method name:	Blank AN	Created at:	04/29/13 16:44:04
Method type:	Automatic titration	Last modification:	04/29/13 16:46:25
Measured value:	mV	Damping settings:	strong
Titration mode:	Linear	Documentation:	GLP
Linear steps:	0.010 ml		

Measuring speed / drift: 12 s

Initial waiting time: 10 s
Titration direction: Decrease
Pretitration: Off
End value: Off
EQ: Off

Dosing parameter

Dosing speed:	100.00 %	Filling speed:	30 s
Maximum dosing volume:	0.30 ml		

Unit values


Unit size: 10ml
Unit ID: 00072696
Reagent: TBA Hydroxid
Batch ID: 1.0265
Concentration [mol/l]: 0.10350
Determined at: 09/21/12 22:27:50
Expire date: 04/12/12
Opened/compounded: 10/19/11
Test according ISO 8655: 12/01/10
Last modification: 09/21/12 15:28:02

Application

Sample titration page 1: Curve and result

GLP documentation

Titration graph



Method data

Method name:	Acid number	Titration duration:	3 m 33 s
End date:	30.04.13	End time:	12:19:19

Titration data

Sample ID:	Olive oil	Weight:	10.03650 g
Start mV:	123.5 mV	End mV:	-94.6 mV
EQ:	0.548 ml / -47.4 mV	AN mg KOH/g:	0.260

Calculation formula

AN mg KOH/g:	$(EQ1-B) \cdot T \cdot M \cdot F1 / (W \cdot F2)$	Mol (M):	56.10000
Blank value (B):	0.0990 ml (M02)	Titre (T):	0.10350000 (a)
Factor 1 (F1):	1.0000	Weight (W):	10.03650 g (m)
Factor 2 (F2):	1.0000	Statistics:	Off

Application

Sample titration page 2: method

Method data overall view

Method name:	Acid number	Created at:	04/29/13 16:20:59
Method type:	Automatic titration	Last modification:	04/29/13 16:46:51
Measured value:	mV	Damping settings:	strong
Titration mode:	Linear	Documentation:	GLP
Linear steps:	0.050 ml		

Measuring speed / drift:	User-defined:	minimum holding time:	07 s
		maximum holding time:	20 s
		Measuring time:	04 s
		Drift:	10 mV/min

Initial waiting time:	10 s		
Titration direction:	Decrease		
Pretitration:	Off		
End value:	Off		
EQ:	On (1)		
Slope value:	Flat	Value:	120

Dosing parameter

Dosing speed:	100.00 %	Filling speed:	30 s
Maximum dosing volume:	6.00 ml		

Unit values

Unit size:	10ml
Unit ID:	00072696
Reagent:	TBA Hydroxid
Batch ID:	1.0265
Concentration [mol/l]:	0.10350
Determined at:	09/21/12 22:27:50
Expire date:	04/12/12
Opened/compounded:	10/19/11
Test according ISO 8655:	12/01/10
Last modification:	09/21/12 15:28:02

Application

Notes

If you have any questions on the application, you can feel free to contact us..

SI Analytics GmbH
Hattenbergstr. 10
55122 Mainz
Germany

Phone: +49 (0) 6131 / 66 – 5062
+49 (0) 6131 / 66 – 5118
Fax: +49 (0) 6131 / 66 – 5001
E-Mail: titration@si-analytics.com
Homepage: www.si-analytics.com